EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	78	713/340.ccls.	US-PGPUB	OR	OFF	2006/12/08 18:18
L2	23	714/22.ccls.	US-PGPUB	OR	OFF	2006/12/08 18:18
L3	208	714/47.ccls.	US-PGPUB	OR	OFF	2006/12/08 18:18
L4	111	710/200.ccls.	US-PGPUB	OR	OFF	2006/12/08 18:18
L5	244	detect$3 with drop with power with reset$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:18
L6	117	detect$3 with drop with "power supply" with reset$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:19
L7	25718465	@ad<"20040326"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:19
L8	42	detect$3 with drop with "power supply" with reset$4 and detect$3 with control with reset$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:20
L9	946	detect$3 with change$1 with control with reset$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:20
L10	29295	mode near5 register$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:21

EAST Search History

L11	12230	standby near5 signal$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:21
L12	53004	mode near5 controller$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:21
L13	27828	low adj voltage near3 (circuit$2 detect$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:22
L14	108732	power near5 (fail$3 drop$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:22
L15	296	(1 2 3 4) and 7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:22
L16	62	15 and (5 6 8 9 10 11 12 13 14)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:25
L17	25	16 and reset$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:28

L18	175289	(10 11 12 13 14) and 7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:29
L19	2444	711/154.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:29
L20	1479	711/100.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:29
L21	1448	711/163.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:29
L22	995	711/156.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:29
L23	171	711/166.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:30
L24	560	(1 2 3 4 19 20 21 22 23) and 7 and (5 6 8 9 10 11 12 13 14) and reset$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:33

L25	2	(1 2 3 4 19 20 21 22 23) and 7 and (5 6 8 9) and (10 12) and (13 14) and reset$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/08 18:34
S1	0	detect$3 with drop with power with reset$4 same "on" same "off"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 15:35
S2	244	detect$3 with drop with power with reset$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 15:35
S3	117	detect$3 with drop with "power supply" with reset$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 15:50
S4	32418	"711".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 15:36
S5	25714259	@ad<"20040326"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 15:36
S6	1	S3 and S4 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 15:39

S7	106	S3 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 15:39
S8	42	detect$3 with drop with "power supply" with reset$4 and detect$3 with control with reset$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 16:05
S9	36	S8 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 15:51
S10	5	detect$3 with drop with "power supply" with reset$4 and detect$3 with (alter$2 change$1) with control with reset$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 16:22
S11	944	detect$3 with change$1 with control with reset$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 17:11
S12	9	S11 and S4 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 16:47
S13	1444	711/163.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 16:47

S14	1	S13 and S5 and S11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 17:11
S15	14797	detect$3 with control with reset$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 17:36
S16	12	S5 and S13 and S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 17:11
S17	192	S4 and S5 and S15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 17:40
S18	2438	711/154.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 17:47
S19	1478	711/100.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 18:06
S20	990	711/156.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 18:07

EAST Search History

S21	171	711/166.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 18:07
S22	685	710/200.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 18:11
S23	16	(S4 S13 S18 S19 S20 S21 S22) and S5 and (S1 S2 S3 S8 S10 S11)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/30 18:43
S24	36	hotaka.in.	US-PGPUB	OR	OFF	2006/11/30 18:43
S25	1	S24 and "detection circuit".clm. and "reset signal".clm.	US-PGPUB	OR	OFF	2006/11/30 18:44
S26	2	S24 and "detection circuit".clm.	US-PGPUB	OR	OFF	2006/11/30 18:52
S27	3	S24 and (detect$3 same reset$4).clm.	US-PGPUB	OR	OFF	2006/12/08 18:17
S28	36	hotaka.in.	US-PGPUB	OR	OFF	2006/12/01 11:11
S29	3	S28 and (detect$3 same reset$4).clm.	US-PGPUB	OR	OFF	2006/12/01 11:11
S30	2438	711/154.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11
S31	1478	711/100.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11
S32	244	detect$3 with drop with power with reset$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11

S33	117	detect$3 with drop with "power supply" with reset$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11
S34	14797	detect$3 with control with reset$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11
S35	25714259	@ad<"20040326"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11
S36	32418	"711".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11
S37	192	S36 and S35 and S34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11
S38	0	detect$3 with drop with power with reset$4 same "on" same "off"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11
S39	944	detect$3 with change$1 with control with reset$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11

S40	42	detect$3 with drop with "power supply" with reset$4 and detect$3 with control with reset$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11
S41	5	detect$3 with drop with "power supply" with reset$4 and detect$3 with (alter$2 change$1) with control with reset$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11
S42	685	710/200.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11
S43	171	711/166.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11
S44	990	711/156.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11
S45	1444	711/163.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11
S46	16	(S36 S45 S30 S31 S44 S43 S42) and S35 and (S38 S32 S33 S40 S41 S39)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11

S47	1	S45 and S35 and S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11
S48	12	S35 and S45 and S34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11
S49	106	S33 and S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 14:37
S50	1	S33 and S36 and S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11
S51	36	S40 and S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11
S52	9	S39 and S36 and S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 11:11
S53	1	S28 and "detection circuit".clm. and "reset signal".clm.	US-PGPUB	OR	OFF	2006/12/01 11:11
S54	2	S28 and "detection circuit".clm.	US-PGPUB	OR	OFF	2006/12/01 11:11

S55	15	standby with control with detect$3 with prohibit$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 14:47
S56	4153	(standby stand-by) with control with detect$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 14:51
S57	25714259	@ad<"20040326"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 14:48
S58	32418	"711".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 14:48
S59	22	S56 and S57 and S58	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 14:50
S60	302	(standby stand-by) with control with chang$2 with detect$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 14:51
S61	2	S57 and S58 and S60	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 15:02

S62	23	"default state" with controller with reset$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 15:08
S63	157	(default standby) with control$3 with reset$4 with (prohibit$4 enabl$3 disabl$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 15:09
S64	2	S63 and S57 and S58	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 16:03
S65	335	reset$4 with (default standby) with (mode state) with control$3 with signal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 16:17
S66	4	S65 and S57 and S58	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 16:05
S67	1072	reset$4 same (default standby) with (mode state) same control$3 with signal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 16:18
S68	28	S67 and S57 and S58	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 16:20

EAST Search History

S69	3	S67 same chang$2 and S57 and S58	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/01 16:20
S70	49	(US-20040193817-$ or US-20060022707-$ or US-20010033516-$ or US-20020111771-$ or US-20030221049-$ or US-20040204898-$ or US-20040242029-$).did. or (US-5377264-$ or US-5388096-$ or US-4788663-$ or US-5287527-$ or US-5696645-$ or US-5999447-$ or US-6148384-$ or US-6201762-$ or US-6683815-$ or US-7091740-$ or US-5488494-$ or US-5793992-$ or US-6101568-$ or US-5771242-$ or US-5796745-$ or US-6249826-$ or US-4630085-$ or US-5231550-$ or US-5247572-$ or US-5493284-$ or US-5666513-$ or US-5913927-$ or US-5981340-$ or US-6208562-$ or US-6452830-$ or US-6718274-$).did. or (US-4894718-$ or US-5268960-$ or US-5319771-$ or US-5469561-$ or US-5508922-$ or US-4249213-$ or US-5426769-$ or US-5677600-$ or US-5959886-$ or US-4298928-$ or US-4345319-$ or US-4493058-$ or US-4498022-$ or US-4583120-$ or US-4601034-$ or US-4802137-$).did.	US-PGPUB; USPAT	OR	OFF	2006/12/01 16:47
S71	6	S70 and S57 and S58	US-PGPUB; USPAT	OR	OFF	2006/12/01 16:52
S72	1	S70 and (S55 S56 S60 S62 S65 S67)	US-PGPUB; USPAT	OR	OFF	2006/12/01 16:52

IEEE Xplore®
RELEASE 2.1

Welcome United States Patent and Trademark Office

□ **Search Session History**

BROWSE   **SEARCH**   **IEEE XPLORE GUIDE**

Fri, 8 Dec 2006, 6:41:47 PM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Search Query Display

**Select a search number (#)
to:**
- Add a query to the Search
  Query Display
- Combine search queries
  using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

#1   ((control signal<in>metadata) <and> (detect<in>metadata))
<and> (change<in>metadata)

#2   ((control signal<in>metadata) <and> (detect<in>metadata))
<and> (reset<in>metadata)

#3   ((control<in>metadata) <and> (detect<in>metadata))<and>
(reset<in>metadata)

#4   ((control<in>metadata) <and> (change<in>metadata))<and>
(standby<in>metadata)

#5   ((control<in>metadata) <and> (reset<in>metadata))<and>
(standby<in>metadata)

#6   ((mode register<in>metadata) <and> (low
voltage<in>metadata))<and> (reset<in>metadata)

#7   ((mode<in>metadata) <and> (voltage drop<in>metadata))
<and> (reset<in>metadata)

#8   ((standby<in>metadata) <and> (voltage<in>metadata))
<and> (control<in>metadata)

#9   ((standby<in>metadata) <and> (voltage<in>metadata))
<and> (reset<in>metadata)

#10   ((prevent<in>metadata) <and> (voltage<in>metadata))
<and> (reset<in>metadata)

#11   ((prevent<in>metadata) <and> (voltage<in>metadata))
<and> (reset<in>metadata)

#12   ((mode controller<in>metadata) <and> (voltage
circuit<in>metadata))<and> (reset<in>metadata)

#13   ((mode<in>metadata) <and> (voltage<in>metadata))<and>
(standby<in>metadata)

#14   ((control signal<in>metadata) <and>
(standby<in>metadata))<and> (change<in>metadata)

#15   ((control<in>metadata) <and> (standby<in>metadata))
<and> (change<in>metadata)